

# SEDIMENT FILTERS



Spun


Manufactured from polypropylene that is blown and spun simultaneously. This process allows the cartridge to be made without using a centre core which could restrict performance.

Sediment filters act as a sieve to reduce sediment, dirt, sand, silt, rust, and algae and leave no chemical residues.

Commonly used in water filtration systems before a carbon filter to protect the life of the carbon media.

## **SPECIFICATIONS**

Micron ratings (nominal)	0.5, 1, 5, 10, 20, 25 & 50
Lengths (inches)	10, 20, 30 & 40 x 2.5 10 & 20 x 4.5
Max temperature	52°C



## **FEATURES**

- Made from 100% Polypropylene
- No binders or adhesives used
  - High dirt holding capacity
  - Nominal micron rating
  - Economical cost
- Double open ended industry standard sizes
- Food and beverage contact safe
- Individually wrapped and sealed

### **WARNING:**

Do not use water that is microbiologically unsafe or of unknown quality without adequate disinfection.


# SEDIMENT FILTERS



Spun


## Standard Diameter

\*Based on 10" length filter in clean water



## Large Diameter

\*Based on 10" length filter in clean water



**WARNING:**  
Do not use water that is microbiologically unsafe or of unknown quality without adequate disinfection.

# SEDIMENT FILTERS



Pleated

*Manufactured from polyester with a polypropylene core, the cartridges are thermally bonded to ensure integral joints between the pliable endcaps and rigid core.*

*Sediment filters act as a sieve to reduce sediment, dirt, sand, silt, rust, and algae and leave no chemical residues.*

*Commonly used in rain or bore water filtration systems before a carbon filter to protect the life of the carbon media.*

## **SPECIFICATIONS**

Micron ratings (nominal)	1, 5, 10, 20, 25 & 50
Lengths (inches)	10 & 20 x 2.5 10 & 20 x 4.5



## **FEATURES**

- Ideal for rain and bore water
  - Made from Polyester
- Large surface area for increased flow
  - Low pressure drop
  - Nominal micron rating
  - Economical cost
- Double open ended industry standard sizes
  - Food and beverage contact safe
  - Individually wrapped and sealed

### **WARNING:**

*Do not use water that is microbiologically unsafe or of unknown quality without adequate disinfection.*


# SEDIMENT FILTERS



Pleated


## Standard Diameter

\*Based on 10" length filter in clean water



## Large Diameter

\*Based on 10" length filter in clean water



**WARNING:**  
Do not use water that is microbiologically unsafe or of unknown quality without adequate disinfection.